



SPECIFICATIONS



SINGLE CAB STANDARD AND OPTIONAL EQUIPMENT

Standard

— Not available

Optional



Models Engine Detail Туре Transmission Type General Transmission Type Max. Output: Max. Torque: 200 Engine Type: Ground Clearance: Fuel System: Fuel Tank Capacity: Drivetrain and Chassis 2WD Easy Select 4WD Super select 4WD-II Rear differential lock (without limited slip differential) Front suspenstion (Double wishbone with coil spring) Rear suspension (Nomal type) Rear suspension (Elliptic leaf spring) Rear suspension (Heavy duty type) Front ventilated disck brake, 2-pot (diameter: 275mm) Front ventilated disck brake, 2-pot (diameter: 290mm) Front ventilated disck brake, 2-pot (diameter: 320mm) Rear drum brake (10-inch) Rear drum brake (11,6-inch) Tyre and Wheel 195R15C 8PR 106/104R with 16-inch steel wheels (Silver) 205R16C 8PR 110/108R with 16-inch steel wheels (Silver) 265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver) **Driving Performance** Drive Mode Active Yaw Control [AYC] Hill Start Assist [HAS] Exterior Windscreen glass (Laminated glass with UV ray reduction) Material black Front bumper

Gloss black

Front bumper garnish Chrome

Front fog light bezel Chrome

GL	GL	
2.4L DI-SC	2.4L DI-SC	
2WD	4WD	
Manual	Manual	
5 speed	5 speed	
81kW@4000rpm	81kW@4000rpm	
0Nm@1000-3750rpm	200Nm@1000-3750rpm	
DOHC Intercooled	DOHC Intercooled	
200mm	221mm	
Common Rail Direct Injection	Common Rail Direct Injection	
75L	75L	
-		
-		
-		
-	-	
•	-	
-		
-	-	
	-	
-	•	
-	•	
-		
-	-	
•	•	
-	•	
-	•	
-	-	
	-	

Models		GL	GL	
Engine Detail		2.4L DI-SC	2.4L DI-SC	
Туре		2WD	4WD	
Transmission Type		Manual	Manual	
Exterior				
Wiper	Front windsrcean Variable Intermitted wiper (2-speed)			
	Rain-sensing windscreen wiper	-		
Windscreen washer (Noz	zzle type)			
Rear window defogger v	vith timer	-	-	
Side step	Material black	-		
	Sliver painted	-	-	
Side door garnish (Mate	rial black)	•	•	
Outer door handle	Material black	-	-	
	Chrome	-	-	
Door mirror	Electrically adjustable	-		
	Heated Power folding mirror Material black			
		-	-	
		_	_	
Rear body guard frame			•	
Rear bumper		-	•	
Rear spoiler		-	-	
Rear gate handle	Bar type	•	•	
	Pull-up type	-		
	Material black	-	-	
	Chrome	_		
Rear gate lock		-		
Cargo bed	Outer hook x12	•	•	
	Inner hook x4	•	•	
Towing hook (Front)		•		
Cockpit				
Multi-information displ	ay 3.5-inch colour LCD display	•	•	
	7-inch colour LCD display	-		
Urethane steering whee		-	_	
		•	•	
Leather-wrapped steeri	ng wheel (3-spoke type)	-	-	
Tilt and telescopic stee	ring wheel	-	-	
Gearshift Knob (Leather	-wrapped)	-	-	
Gearshift lever boot (Synthetic leather with stitch)		-	-	
Parking brake lever		•		
Release switch	Material		•	
	Chrome	-	_	
	chlome	-	-	

Models		
Engine Detail		
Туре		
Transmission Type		
Seat		
Seat material	Vinyl	
	Fabric with stitch	
	Leather	
Driver seat	Manual adjustable seat (Sliding, reclining)	
	Manual adjustable seat (Sliding, reclining, single-height, lever type)	
	Power seat (Sliding, reclining double-height, lumbar support)	
Passenger seat	Manual adjustable seat (Sliding, reclining)	
Seatback pocket with n	nultiple porkets	
Front seat height adjas	table headrest	
Rear centre armrest (w	ith cup hoder)	
Interior		
Instrument panel accer	nt Material back	
	Synthetic leather wrapped without stitch	
Upper glove box	without lid	
	with lid	
Lower glove box		
Floor console	Material Black	
	Colour-keyed	
Floor console box	with lid	
	with lid (Synthetic leather)	
Cup holder for floor cor	isole x2	
Central door locking sy	stem	
Speed sensing automat	ic central door lock	
Child safety lock		
Remote keyless entery		
Keyless Operation Syste	em [KOS]	
Inner door handle	Material black	
	Satin chrome	
Front door armrest	Material black	
	Synthetic leather without stitch	
	Synthetic leather with stitch	
Power window switch p	anel (Material black)	
Driver side door power (Auto up/down and anti		
	r door power window switch	
Key-off timer fuction		

GL	GL
2.4L DI-SC	2.4L DI-SC
2WD	4WD
Manual	Manual
-	
-	-
•	•
-	-
-	-
•	•
-	
-	•
•	•
•	
-	
-	-
-	-
-	
•	
-	•
-	•
-	
	-
-	-
•	•
-	
-	
-	•
-	•
-	

Models		GL GL	
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Interior			
Room light	Front (Bulb)	-	-
	Rear (Bulb)	-	-
Front map light (Bulb)		-	-
Sunglass pocket		-	•
Floor carpet	Vinyl	•	•
	Needle punch	-	-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side)	•	•
	Vanity mirror with lid (Passenger's side)	-	-
Dimming rearview mirro	or	-	-
Air Conditioner			
Manual air conditioning		•	•
Automatic air condition	ing	-	-
Dual-zone automatic ai	r conditioning	-	-
Rear air circulator		-	-
Safety and Security			
Active Stability and Tra	ction Control [ASTC]	•	•
Emergency Stop Signal	system [ESS]	•	•
Brake override system		•	•
Anti-lock Braking syste	m [ABS]	•	
Electronic Brake force D	Distribution [EBD]	-	-
Brake assist system		-	-
Parking sensor (Front an	nd rear)	-	-
Cruise Control		-	-
Hill Descent Control (HD	IC)	-	-
Immobiliser		-	•
Passive safety	SRS airbag (Driver, passenger)	-	•
Passive safety	SRS airbag (Driver, passenger, drivers knee)		
	SRS airbag (Driver, passenger, Side (fr), Curtain (Fr and Rr), Knee (driver)	-	-
	Passenger SRS airbag cut-off switch (Manual)	-	-
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	•	•
	Double pretensioner (Driver) and pretensioner (Passenger)	-	-
	Height adjustable front seatbelt anchor	-	-
	Rear seat 3-point seatbelt with ELR	-	-
ISO-FIX Child restraint seat anchor and tether anchor Rear x2		-	-

Models	
Engine Detail	
Туре	
Transmission Type	
Navigation and Audio	
Smartphone-link Display A	Audio [SDA] (8-inch WVGA display)
AM/FM radio with Bluetoo	th® wireless technology
Smartphone-link Display / Navigation system (9-inch	
Speaker	2-Speaker
	4-Speaker
	6-Speaker
Hands-free phone and voi	ce recognition
Steering wheel audio cont	rol
Lighting and Visibility	
Halogen headlight	
LED headlight (High/low b	eam)
Auto light system with of	fswitch
LED Daytime Running lam	ps [DRL]
Front turn signal (Bulb)	
Side turn signal	Bulb type on bumper
	LED on door mirror
Position (Clearance) light	Bulb
	LED
Front fog light (LED)	
Rear fog light (LED)	
Stop light	Bulb
	LED
Tail light	Bulb
	LED
Rear turn signal	Bulb
	LED
Back-up light (Bulb)	
License plate light (Bulb)	
LED high-mount stop ligh	t
Welcome light	
Coming home light	

GL	GL
2.4L DI-SC	2.4L DI-SC
2WD	4WD
Manual	Manual
-	-
-	•
-	-
•	•
-	-
-	-
-	-
	-
•	
-	-
-	
-	-
-	-
•	•
-	-
-	•
-	-
-	-
-	
•	•
-	-
• -	
•	
-	•
-	
-	-

Models	GL	GL	
Engine Detail	2.4L DI-SC	2.4L DI-SC	
Туре	2WD	4WD	
Transmission Type	Manual	Manual	
Convenience			
12V power outlet Floor console	-	-	
Instrument panel	•		
USB port for charging x2 (Rear console)	-	-	
Rearview camera	-	-	
Monitor with Moving Object Detection [MOD]	-	-	
Hands-free phone	-		
Microphone	-	•	
Wireless charger	-	-	
USB charging outlet x2	-		
Tool set (Simple set, wheelnut wrench) and jack	•	•	
Mass & Dimensions			
Tare/Kerb Weight (Kg)	1625	1795	
G.V.M (Kg)	2570	2755	
G.C.M (Kg) (if applicable)		4100	
Length (mm)	5320	5320	
Height (mm)	1700	1765	
Width (mm)	1865	1865	
Wheelbase (mm)	3130	3130	
Towing capacity - braked (kg)			
Towing capacity - unbraked (kg)			

Note: **•ASTC**: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. **•HSA**: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. **•HDC**: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.



DOUBLE CAB STANDARD AND OPTIONAL EQUIPMENT



Models		GL
Engine Detail		2.4L DI-DC
Туре		4WD
Transmission Type		Manual
General		
Transmission Type		5 speed
Max. Output:		81kW@ 4000rpm
Max. Torque:		200Nm@100 3750rpm
Engine Type:		DOHC Intercooled
Ground Clearance:		221mm
Fuel System:		Common Ra Direct Injectio
Fuel Tank Capacity:		75L
Drivetrain and Chassis		
2WD		-
Easy Select 4WD		•
Super Select 4WD-II		-
Rear differential lock (wi	thout limited slip differential)	-
Front suspension (Double	•	
Rear suspension (Nomal t		
Rear suspension (Elliptic		
Rear suspension (Heavy d		
Front ventilated disck brain		
Front ventilated disck brain	ake, 2-pot (diameter: 320mm)	-
Rear drum brake (11,6-in	ch)	•
Tyre and Wheel	205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	-
	265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver)	-
Driving Performance		
Drive Mode		-
Active Yaw Control [AYC]		-
Hill Start Assist [HAS]		-
Exterior		
Windscreen glass (Laminated glass with UV	ray reduction)	-
Front bumper	Material black	
	Gloss black	-
Front bumper garnish	Chrome	-
Front fog light bezel	Chrome	-
Front grillo	Material black	-

Material black Colour-keyed

Front grille

GLS	GLS GLS	
2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
4WD	2WD	4WD
Manual	Auto	Auto
6 speed	6 speed	6 speed
135kW @3500rpm	135kW @3500rpm	135kW @3500rpm
430Nm@2250- 2500rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm
DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo
228mm	228mm	228mm
Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
75L	75L	75L
-	-	-
-	-	-
	-	
-	-	
-	-	-
-	-	-
-	-	-
	_	_
-	-	-
•	•	
-	-	-
•	-	•
•	•	•
•	•	-
-	-	-
-		
-		-
•	•	•
-		
•	•	•

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Exterior					
Wiper	Front windsrceen Variable Intermitted wiper (2-speed)	•	-	•	•
	Rain-sensing windscreen wiper	-	-	-	-
Windscreen washer (No	ozzle type)	-	-		
Rear window defogger	with timer	-	-	-	-
Side step	Material black	-	-	-	-
Side door garnish (Mate	erial black)	-	-	-	-
Outer door handle	Material black	-	-	-	-
	Chrome	-	•	•	•
Door mirror	Electrically adjustable	•	•	•	-
	Heated Power folding mirror	-	•	•	•
	Material black	•	-	-	-
	Chrome	-	•		
Rear bumper		•	•		
Rear spoiler		-	-	-	-
Rear gate handle	Pull-up type	•	-	-	-
-	Material black		-	-	-
	Chrome	-	•	•	
Rear gate lock		-	-	-	-
Cargo bed	Inner hook x4	•	-	-	-
Towing hook (Front)			-		
Cockpit					
	l ay (3.5-inch colour LCD display)	_			
		•	-	-	-
	(7-inch colour LCD display)	-	•		
Urethane steering whe	el (3-spoke type)	•	-	-	-
Leather-wrapped steer	r ing wheel (3-spoke type)	-	•	•	•
Tilt and telescopic stee	ering wheel	-	-	•	-
Gearshift Knob (Leathe	er-wrapped)	-		•	•
Gearshift lever boot (S)	ynthetic leather with stitch)	-	-	-	-
Parking brake lever		•	•	•	•
Release switch	Material	-	-	-	-
	Chrome	-			
Seat					
Seat material	Vinyl	-	-	-	-
	Fabric with stitch	-	-	-	_
			_	_	_
	Leather	-			•

Models		GL
Engine Detail		2.4L DI-DC
Туре		4WD
Transmission Type		Manual
Seat		
Driver seat	Manual adjustable seat (Sliding, reclining) Manual adjustable seat (Sliding, reclining, single-height, lever type)	-
	Power seat (Sliding, reclining double-height, lumbar support)	-
Passenger seat	Manual adjustable seat (Sliding, reclining)	-
Seatback pocket with mu	ultiple pockets (Passenger side)	•
Front seat height adjusta	able headrest	
Rear centre armrest (wit	h cup hoder)	•
Interior		
Instrument panel accent	Material back Synthetic leather wrapped without stitch	-
Upper glove box	without lid	•
	with lid	-
Lower glove box		-
Floor console	Material Black	-
Floor console box	with lid	•
	with lid (Synthetic leather)	-
Cup holder for floor console x2		
Central door locking system		•
Speed sensing automation	c central door lock	•
Child safety lock		•
Remote keyless entery		•
Keyless Operation Syster	m [KOS]	-
Inner door handle	Material black	•
	Satin chrome	-
Front door armrest	Material black	•
	Synthetic leather without stitch	-
Power window switch pa	nel (Material black)	•
Driver side door power w (Auto up/down and anti t Passenger side and rear (Up and down)		
Key-off timer fuction		
Room light	Front (Bulb)	•
Front map light (Bulb)	Rear (Bulb)	
Sunglass pocket		

GLS	GLS	GLS
2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
4WD	2WD	4WD
Manual	Auto	Auto
-	-	-
•	-	-
-	•	-
•	-	•
•	•	•
-	•	
•	•	•
-	-	-
-	-	-
-	-	-
•	-	-
-	-	-
•	-	•
-	-	-
	-	-
-	-	-
-	•	•
-	-	-
-	•	•
-	-	-
-	•	-
•		•
-		-
-		
-	•	
-	•	•

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Interior					
Floor carpet	Vinyl Needle punch	-	-		-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side) Vanity mirror with lid	•	•	•	•
	(Passenger's side)	•	•	•	•
Dimming rearview mirro	r	-	-	-	-
Air Conditioner					
Manual air conditioning		•	-	-	-
Automatic air conditioni		-	•	•	
Dual-zone automatic air	conditioning	-	•	•	•
Rear air circulator		-	•	•	•
Safety and Security					
Active Stability and Trac	tion Control [ASTC]	•	•	•	•
Emergency Stop Signal s	ystem [ESS]	•	•	•	•
Brake override system		•	•	•	
Anti-lock Braking syster			•	•	-
Electronic Brake force D Brake assist system	Istribution [EBD]				
Parking sensor (Front an	d rear)				
Cruise Control		-			
Hill Descent Control [HD0	[]	-		-	
Immobiliser			-	-	-
Passive safety	SRS airbag (Driver, passenger, drivers knee)	•	-	-	-
	SRS airbag (Driver, passenger, Side (fr), Curtain (Fr and Rr), Knee (driver)	-	•	•	•
	Passenger SRS airbag cut-off switch (Manual)	-			
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	•	•	•	•
	Double pretensioner (Driver) and pretensioner (Passenger)	•	•	•	•
	Height adjustable front seatbelt anchor	-	•	•	•
	Rear seat 3-point seatbelt with ELR	•	•	•	•
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	-	-	-	•
Navigation and Audio					
Smartphone-link Display (8-inch WVGA display)	v Audio [SDA]	-	•	•	•
Smartphone-link Display Navigation system (9-ind		-	-	-	-
Speaker	2-speaker	•	-	-	-
	4-speaker	-	-	-	-
	6-speaker	-		•	

Models		GL
Engine Detail		2.4L DI-DC
Туре		4WD
Transmission Type	Transmission Type	
Navigation and Audio		
Hands-free phone and	voice recognition	
Steering wheel audio c	control	
Lighting and Visibility	,	
Halogen headlight		
LED headlight (High/lo	w beam)	-
Auto light system with	n off switch	-
LED Daytime Running I	amps [DRL]	-
Front turn signal (Bulb)	
Side turn signal	Bulb type on bumper	
	LED on door mirror	-
Position (Clearance) lig	ght Bulb	
	LED	-
Front fog light (LED)		-
Rear fog light (LED)		-
		_
Stop light	Bulb	-
		-
Tail light	Bulb	•
		_
Rear turn signal	Bulb	•
	LED	-
Back-up light (Bulb)		•
License plate light (Bu		
LED high-mount stop l	ight	•
Welcome light		-
Coming home light		-
Convenience		
12V power outlet	Floor console	-
	Instrument panel	•
USB port for charging	x2 (Rear console)	-
Rearview camera		-
Hands-free phone		•
Microphone		
Wireless charger		-
USB charging outlet x2		-
Jack and Tool set (Sim	ple set, wheelnut wrench)	

	GLS	GLS	GLS
2	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
	4WD	2WD	4WD
	Manual	Auto	Auto
	-		•
	-	-	-
	•	•	•
	-		
	•		-
	-	-	-
	•	•	-
	-	-	-
	-		-
	•		
	-	-	-
	-		•
	-	-	-
	•	•	-
	•	•	
	•	-	-
			-
	•		-
	•	-	-
	•	•	-
		_	_
	•		
	•		-
	•	-	-
	•	•	-
	•	•	•
	•	•	•
	•		•
	-	-	

Models	GL	GLS	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре	4WD	4WD	2WD	4WD
Transmission Type	Manual	Manual	Auto	Auto
Mass & Dimensions				
Tare/Kerb Weight (kg)	1865	1965	1865	1965
G.V.M (kg)	2755	3000	2980	3000
G.C.M (kg) (if applicable)	4100	6000	6000	6000
Length (mm)	5320	5320	5320	5320
Height (mm)	1775	1795	1795	1795
Width (mm)	1865	1865	1865	1865
Wheelbase (mm)	3130	3130	3130	3130
Towing capacity - braked (kg)	-	3500	3500	3500
Towing capacity - unbraked (kg)	-	750	750	750

Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. •HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.

ICONS COLLECTION SPECIFICATIONS

Standard Not available Optional

TRITON



Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
Icons Collection		
EDITION 46 PACKAGE		
Tailgate assist	-	
Tailgate lock	-	
Grill emblem silver	-	
B-pillar foil	-	
Door handle protector (inner)	-	
Side door moulding kit	-	
Side window deflector kit	-	
Under bumper tow bar	-	
Roof rails (black oem)	-	
4x4 super select11 edition 46 side decal set	-	
Dunlop tyres 265/65 R18 AT3G wit	-	
Tyre fitment & balancing	-	
Load bin rubberrizing	-	
Black nudge bar	-	
Raw suspension kit 40mm lift kit - optional extra	-	
Black canopeak canopy, roof rack & kitchen with table	-	
XTREME PACKAGE		
Tailgate assist		
Tailgate lock		
Grill emblem black		
B-pillar foil		
Door handle protector (inner pad stick-on)		
Fender arch molding kit		
Side door moulding kit (bolt in door type)		
Side window deflector		
Tonneau cover black		
Sports bar (black)		
Roof rails		
Door handle outer covers (black with lock/unlock prov)		
Head lamp covers		
Daytime running lamp covers		

Models	
Engine Detail	
Туре	
Transmission Type	
Icons Collection	
XTREME PACKAGE	
Fog lamp covers	
Tail lamp covers	
Mirror covers	
Front bumper chrome covers (clip in bolt style)	
Fuel lid cover	
Xtreme & 4x4 decal combined	
Dunlop AT5 tyres 265/65 R17 - tyres	
Mag wheels - block ET0619317x9	
Wheel spanner	
Load bin rubberrizing	
ATHLETE PACKAGE	
Tailgate assist	
Tailgate lock	
Grill emblem silver	
B-pillar foil	
Door handle protector (inner)	
Fender arch molding kit slimline gloss	
Side window deflector kit	
Securilid - electric roller cover (extra for electric & manual) - optional extra	
Sport bar (black & silver)	
Roof rails	
Door handle outer covers (black)	
Head lamp covers	
Daytime running lamp covers	
Fog lamp covers	
Tail lamp covers	
Mirror covers	
Front bumper chrome covers black off	
Decal athlete	
Dunlop AT5 tyres 265/65 R17 - tyres 17 Inch black 8.5J mag wheel	
(Nuts & locating ring)	
T cap mag wheel decal 55mm pack Wheel spanner	

Load bin rubberrizing

GLS	GLS
2.4L DI-DC	2.4L DI-DC
2WD	4WD
Auto	Auto

_	_
_	

